
INDEX

The purpose of this index is to help you to search for information in this book. After each term mentioned in the index, there are page numbers that help you to locate the pages where the term is discussed. Each page number indicates a page on which the discussion of a term begins. In some cases, the discussion continues on the following pages.

The file names of the example programs (e.g. **First.cs**, **Sum.cs**, **Game.cs**, etc.) are not mentioned in this index. To locate the example programs in this book, please use the alphabetical list on the introductory pages of this book.

Terms related to the imaginary computer (Chapter 4) are not widely listed in this index. Because the imaginary computer is a special subject that is discussed only in a single chapter, it should be possible to manage that information by using the table of contents.

Symbols

! NOT operator 142
 != not equal operator 131
 " double quote character 100, 119, 197, 561
 # begins preprocessor directives 558
 #define and other preprocessor directives 558
 % remainder operator 134, 263, 278
 & address operator 270
 & bitwise AND operator 539
 && logical AND operator 142
 && operator vs. & operator 557
 (opening parenthesis 130
 () empty parentheses 106, 240, 248
) closing parenthesis 130
 * multiplication operator 111
 */ terminates a comment 313
 *= multiply and assign operator 565
 + addition operator 111, 119
 + concatenation operator 119
 ++ increment operator 149, 151
 += add and assign operator 264, 565
 - subtraction operator 111
 -- decrement operator 151
 -= subtract and assign operator 565
 . dot operator 116
 ... means "some program lines" 12
 .bak, name extension for backup files 474
 .cs, name extension for C# files 10
 .exe files, C#-based 28
 .exe, name extension for executable files 10
 .jpg files 505
 .NET Framework 20, 116, 261
 .NET Framework documentation 22, 214
 .NET runtime environment 10, 21

.txt, name extension for text files 460
 / division operator 111
 /* begins a comment 313
 // double slash, begins a comment line 17, 18, 71, 313
 : colon character 389
 ; semicolon 14, 18
 < less than operator 131
 << left shift operator 539
 <= less than or equal operator 131
 = basic assignment operator 111
 == equal operator 131, 205
 > greater than operator 131
 >= greater than or equal operator 131
 >> right shift operator 539
 @ at sign 226
 @ verbatim string literal marker 226
 [] empty (square) brackets 172
 \ backslash character 197, 561
 \0 NULL character 561
 \a alert (BEL) character 555, 561
 \b backspace character 197, 561
 \n newline character 100, 197, 221, 561
 \r carriage return character 197, 221, 461, 561
 \t tabulator character 197, 221, 561
 ^ exclusive OR operator 539
 _ underscore character 106
 | bitwise OR operator 539
 || logical OR operator 142
 || operator vs | operator 557
 ~ complement operator 539
 ~ tilde sign 305
 ` single quote character 137, 197, 561

Numerics

0x, prefix to form hexadecimal literals 115
 10-finger typing system vii
 24-hour time format 427

A

a.m./p.m. time format 427
 abbreviated names 17
 Abbreviation, an example class 382
 Abort() method of class Thread 548
 abstract classes 426, 428, 528
 abstract keyword 428, 573
 abstract methods 426, 431
 access modifiers 298, 402
 protected keyword 420
 accessing files in C# programs 459
 accessor methods 313, 337, 345, 359, 373
 AccountWithCredit, an example class 422
 action statements 97, 98
 action statements vs. declaration statements 14
 actual parameters 246, 267
 add and assign operator += 264, 565
 Add(), ArrayList method 473, 510, 515, 525
 add_new_collection_item(), CollectionMaintainer method

499
 add_new_item(), Collection method 493
 AddDays(), DateTime method 532
 addition operator + 111, 119
 additive arithmetic operators 565
 address operator & 270
 addresses, numerical 49
 advice for studying vii
 age, calculation of 341, 531
 alert (BEL) character \a 555, 561
 algorithms, sorting 260
 allocation of memory 182, 184, 272
 alphabetical comparison of strings 214
 AmericanTime, an example class 429
 Animal, an example class 308, 356
 Append(), StringBuilder method 225
 appending data to the end of a file 480
 applications 9
 Arabic numbers 30, 31
 arguments vs. parameters 246
 arguments, see "parameters" 240
 arithmetic expressions 134, 564
 in array references 173
 arithmetic operators 111, 134, 278
 Array class 452
 Array methods
 Clear() method 452, 455
 Clone() method 452
 Copy() method 264, 452
 GetValue() method 453, 454
 IndexOf() method 453, 455
 LastIndexOf() method 453
 Reverse() method 453
 Sort() method 453, 455
 ArrayList class 510, 512, 515
 Add() method 473, 510, 515, 525
 Capacity property 511
 Count property 511
 Insert() method 515, 526
 InsertRange() method 513, 526
 Sort() method 526
 arrays
 array creation statement 183
 array declaration statement 183
 arrays of integers 172–179
 arrays of objects 563
 arrays of strings 227, 230
 copying arrays 264
 declaring arrays 172, 562
 default values 186
 initialized array of strings 227
 initialized arrays 185
 initialized arrays of type char 230
 jagged arrays 190, 229
 length of an array 177
 multidimensional arrays 190, 410
 rectangular arrays 190
 referring to array elements 173
 Arrow Down key 28, 579

Arrow Up key 28, 579
 as keyword 573
 ASCII coding system 43, 103
 assemblies 402
 assembly languages are difficult 92
 assignment operator = 111, 113
 assignment statements 111, 113, 564
 left-side expressions 564
 associativity of operators 119, 128
 associativity of the dot operator . 323
 astronomical facts 336
 at sign @ 226
 atoms, structure of 231
 automatic calls 389, 404
 automatic memory management 301, 325, 436
 automatically generated constructors 404
 auxiliary memory devices 5, 48

B

Babbage, Charles 199
 backslash character \ 197, 561
 backspace character \b 197, 561
 backup (.bak) files 474
 backup copies of programs 583
 balloons of text x
 BankAccount class, better version 302
 BankAccount class, third version 420
 BankAccount, an example class 296
 base class 388
 Base Class Library 439
 base keyword 389, 423, 573
 base-10 system, base-16 system, etc.
 see "numbering systems"
 BCL, Base Class Library 439
 BEL (alert) character \a 561
 BetterDate, class derived from Date 390
 BilingualTranslation, an example class 518
 binary files vs. text files 477
 binary literals do not exist 538
 binary numbering system 31
 binary numbers 40
 printing integers in binary form 544
 binary-to-decimal conversion 34
 BinaryReader class 480, 481, 490
 BinaryWriter class 480, 481, 484
 birthdays, day of week 341, 531
 birthdays, planning celebrations 341, 531
 bit operators 539
 bit, binary digit 38
 bitwise AND operator & 539
 bitwise logical operators 557
 bitwise OR operator | 539
 blocks of statements 161, 165, 274
 blocks, nested program blocks 274
 body of a loop 153
 body of method 257
 bool keyword 573
 bool type 103, 169

- Boole, George 130
 - boolean expressions 130, 136, 478, 564
 - boolean methods 498
 - boxing 510
 - boxing vs. unboxing 444, 445
 - braces { }, rules for using 161
 - break keyword 573
 - break statements 143
 - bug can mean any small insect 93
 - buttons 522
 - byte keyword 573
 - Byte type 441
 - byte type 103
- C**
- C programming language 460
 - C# compiler
 - downloading from Internet 20
 - C# programs vs. traditional programs 10
 - C++ programming language 110, 170, 305, 460
 - Caesar, Julius 233, 341
 - calculate_mean_value() method 259
 - calendar reform 341
 - callee, a method that is called 238
 - caller, a method that calls 238
 - calling base class version of a method 423
 - calling methods 236, 267, 521
 - Capacity property of ArrayList 511
 - Capacity, property in class StringBuilder 222
 - capitalization of names 248
 - capitalized names vi, 202, 374
 - carriage return character \r 197, 221, 461, 561
 - case keyword 573
 - case sensitivity 22
 - casting 571
 - catch keyword 165, 447, 573
 - catching exceptions 447
 - celebrations, planning 341, 531
 - char arrays 230
 - char keyword 573
 - Char type 441
 - char type 103
 - character codes 137, 154, 194, 460, 461, 540
 - whitespace characters 221
 - character codes, hexadecimal output 200
 - character coding 43, 44
 - character literals 137, 561
 - checked keyword 573
 - chronological distance between dates 339, 351
 - Churchill, Winston 529
 - class keyword 573
 - class library 439
 - class methods vs. instance methods 202
 - class variables 401
 - classes
 - abstract classes 426, 428
 - access modifiers 402
 - accessor methods 337, 345, 359, 373
 - base class 388
 - calling another instance method 346
 - class declarations 572
 - class hierarchy 408
 - class scope 275
 - constructor methods 300
 - copy constructors 306
 - default constructors 307
 - destructor methods 305
 - fields of classes 290
 - graphical class descriptions 359
 - hierarchies of classes 405, 409, 419
 - indexers 357, 378
 - inheritance between classes 388
 - initialization of data fields 316
 - polymorphic methods 418
 - properties 373, 374
 - sealed classes 438
 - several constructors in a class 306
 - subclasses and immediate subclasses 404
 - superclass 388
 - superclasses and immediate superclasses 404
 - virtual methods 418, 518
 - classwide data 275
 - classwide variables 273
 - Clear() method of class Array 452, 455
 - clock signal 52
 - Clone() method 214
 - Clone() method of class Array 452
 - Close(), method to close files 463, 465, 474
 - coding of textual information 43, 44, 460
 - Collection, an example class 492
 - CollectionItem, an example class 490
 - CollectionMaintainer, an example class 498
 - colon character : 389
 - Columbus, Christopher 338, 341
 - command line
 - command line parameters 276, 475
 - directing screen output to file 403
 - command line arguments, see "command line parameters"
 - command prompt window, opening and adjusting 19
 - command prompt window, working with 28
 - commands, MS-DOS operating system 19
 - comments
 - comments inside /* and */ 313
 - double slash // comments 17, 71, 313
 - text ignored by the compiler 17
 - using comments in program testing 581
 - Common Language Runtime (CLR) 21, 28
 - Compare() string method 206, 207, 214
 - CompareTo() method implemented 524
 - CompareTo() method of IComparable 522, 523
 - CompareTo() string method 215
 - compilation 8
 - compiling C# programs 25
 - recompiling programs 28
 - several .cs files in compilation 338
 - compilation errors, correcting 579
 - compiler generated calls 389
 - complement operator ~ 539

complementing truth values 141
 compound interest 188
 computer system 9
 Concat() string method 215
 concatenating string objects 208
 concatenation operator + 119
 conditional logical operators 557
 console window 19
 Console, standard C# class 116, 261
 Console.WriteLine() method 101, 123
 const keyword 364, 506, 573
 constants 364
 constants, see literals 111
 constructors 300, 306

- automatic calling of superclass constructor 404
- constructor calling another constructor 357
- constructors and inheritance 389, 390
- copy constructors 306
- default constructors 307, 389, 404
- implicit calling of constructors 389
- initialization of data fields of a class 316

 constructors and structs 432
 contents of this book xii
 continue keyword 573
 continuing a statement on following line 107
 control structures 566, 567
 Control-C character 581
 conventions for writing hexadecimal numbers 37
 conventions for writing method names 248
 Conversion, an example class 318
 conversions

- explicit type conversions 155, 158, 265
- summary of some mechanisms 571

 conversions, explicit 540
 Convert, standard C# class 116, 261
 convert_string_uppercase() method 543
 copy constructors 306
 Copy() method of class Array 264, 452
 Copy() string method 205, 215
 copying objects 443
 CopyTo() string method 215
 Count property of ArrayList 511
 CR, carriage return character 461
 creating arrays 183
 creation of objects 300
 .cs files, C# source program files 10
 .cs files, naming of 577
 csc, command to invoke C# compiler 25
 CurrentDate, class derived from Date 394
 CurrentTime, an example class 428

D

Darwin, Charles 529
 data encapsulation 373
 data members vs. function members 386
 Date class, compiling programs that use it 338
 Date, an example class 344, 388
 DateTime properties, list of 533

DateTime struct 394, 529
 Day property of DateTime 533
 DayOfWeek property of DateTime 533
 DayOfYear property of DateTime 533
 deallocation of memory 272
 decimal keyword 573
 decimal numbering system 99
 decimal numbers 99
 Decimal type 441
 decimal type 110
 decimal type, literal constants 115
 decimal-to-binary conversion 35
 decisions, see "if constructs", "switch-case constructs"
 declaration statements vs. action statements 14
 declarations

- array declarations 172, 183, 562
- class declarations 572
- namespace declarations 284
- string declarations 194
- variable declarations 98, 562
- vs. executable statements 98

 declarators of methods 240, 257
 DecoratedTextWindow, an example class 415
 decrement operator -- 151
 decrement(), Date method 350
 default constructors 307, 389

- automatically generated 404

 default keyword 573
 default values 186
 definitions of variables 98
 delegate keyword 573
 delegate types 547
 deposit_money(), BankAccount method 296
 designing programs 332
 destroying objects from heap memory 301
 destructor methods 305
 digits 30
 dimensions of arrays 190
 directing screen output to file 403
 dividing by zero 278
 division operator / 111, 278
 do keyword 573
 do-while loops 158, 567
 documentation, .NET Framework 22, 214
 dot operator . 116

- associativity of 323

 double keyword 573
 double quote character " 119, 197, 561
 double slash // begins a comment line 313
 Double type 441
 double type 108
 downloading

- C# compiler 20
- programs presented in this book 23

 dynamic memory allocation 326
 dynamic strings 222
 DynamicArray, an example class 379

E

- e-mail 44
- e.g. means "for example"
- early binding 431
- Earth, equatorial radius 108
- Earth, length of equator 113
- echoing 86
- Einstein, Albert 391
- elements
 - referring to array elements 172
- else keyword 573
- empty method 389
- empty parentheses () 106, 240, 248
- empty string 198, 475
- Empty.cs 577
- encapsulation of data 294, 373, 402
- endless loop 148
- EndsWith() string method 215
- EnglishCalendar, an example class 398
- enum keyword 574
- enumerators 516
- enums 507
- equal operator == 131, 205
- equality of string objects 204, 475
- Equals() method of class Object 442
- Equals() method, how to write it 451
- Equals() string method 204, 216
- errors in programs
 - correcting compilation errors 579
 - typical logical errors 580
- errors made by users 165
- escape character, backslash \ 197, 561
- escape sequence characters 197
- etc. means "et cetera", "and so on"
- EuropeanTime, an example class 429
- evaluation of expressions 111, 128, 173
- even numbers vs. odd numbers 191
- event keyword 574
- Event, an example class 524
- events 522
- example programs, downloading 23
- example programs, list of xvi
- Exception class 447
- exceptions 165
 - unhandled exceptions 118
- exclusive OR operator ^ 539
- .exe file, executable file 10
- executable programs 8
- execution of C# programs 25, 28
- exercises in this book, list of xix
- exercises, practical advice for 577
- Exists(), method of class File 463
- explicit keyword 574
- explicit type conversions 155, 158, 265
- exponential notation 108
- expressions 564
 - arithmetic expressions 134, 564
 - boolean expressions 136, 564
 - parentheses, meaning in expressions 121
 - relational expressions 137
- extending an interface 528
- extern keyword 574

F

- F, suffix for float literals 115
- factorial, mathematical term 248
- false keyword 168, 574
- fields of classes 290
- File class
 - Exists() method 463
 - Open() method 479, 484
 - OpenRead() method 477
- file name extension 5
- FileNotFoundException 466
- files
 - accessing files in C# programs 459
 - Close() method 474
 - opening files 459, 464, 480
 - storing objects in file 488
 - storing screen output to file 403
 - summary of file handling 570
 - text files 460
- FileStream class 477, 481
 - Write() method 479
- Finalize() method 305
- Finalize() method of class Object 443
- finally blocks 465
- finally keyword 450, 574
- find_smallest_number_in_array() method 265
- finding errors in programs 579
- Finland, date of independence 389
- fixed keyword 574
- flip-flops 40
- float keyword 574
- float type 108
- floating-point literals 115, 186, 561
- floating-point variables 108
- floppy disk drive 5
- flowcharts 147
- Flush() method 463
- for keyword 574
- for loops 152, 274, 567
- foreach keyword 170, 574
- foreach loops 170, 211, 526
- formal parameters 246, 267
- Format() string method 216
- FormatException type 166, 446
- formatting
 - hexadecimal printing 123
 - left justified printing 123
 - printing fields 123
 - right justified printing 123
- FrameWindow, an example class 413
- function members vs. data members 386

G

garbage collection 203, 436, 443
 garbage collector 301, 325
 Germany, date of reunification 389
 get accessor 374
 get, almost a keyword 574
 get_brief_president_info(), President method 363
 get_day_of_week(), Date method 349
 get_distance_to(), Date method 351
 get_full_president_data(), President method 363
 get_items_of_maker(), Collection method 495
 get_items_of_type(), Collection method 495
 get_week_number(), Date method 352, 356
 GetEnumerator() string method 216
 GetHashCode() method of class Object 442
 GetHashCode() string method 216
 getter methods 373
 GetType() method of class Object 442
 GetValue() method of class Array 453, 454
 GIF, Graphics Interchange Format 46
 global namespace 285
 golf, the game of 3
 goto keyword 574
 graphical class descriptions 359
 graphical descriptions, flowcharts 147
 graphical user interfaces 522
 greater than operator > 131
 greater than or equal operator >= 131
 Greenwich Mean Time (GMT) 535
 Gregorian Calendar 341, 347

H

hard disk 5
 hardware 4
 heap memory 326
 automatic management of 325
 heap memory vs. stack memory 183, 324
 hexadecimal input from the keyboard 118
 hexadecimal literals 115, 157, 561
 hexadecimal numbering system 31, 99
 hexadecimal numbers, conventions for writing 37
 hexadecimal output 200
 hexadecimal printing 123
 hexadecimal-to-binary conversion 36, 542
 hexadecimal-to-decimal conversion 34
 hierarchies of classes 405, 408, 409, 419
 high-level programming languages 92
 Hour property of DateTime 533
 hyphenation 107

I

i.e. means "in other words"
 IBM Personal Computer 63
 IC8 simulator 78
 ICOM simulator 78
 IComparable interface 522, 523

identifiers, see also "names" 106
 if constructs (statements) 130–139, 566
 if keyword 574
 if-else if-else constructs 136
 imaginary computer 52
 imaginary processor 54
 instruction decoding table 58
 internal registers 54
 machine instructions 57
 state diagram of operation 65
 vs. real computers 77
 IML language 71
 IML programming
 address names 74
 keywords STRING, DATA, CONSTANT 76
 loop in a program 80
 loop inside another loop 86
 program that never terminates 93
 reserving memory locations 76
 stack and subroutine calls 84
 subroutine is called 82
 subroutine to read the keyboard 87
 immediate access memory 5
 immediate subclass 404
 immediate superclass 404
 immutability of strings 198
 implementation of an interface 522
 implicit calling of constructors 389
 implicit keyword 574
 in keyword 170, 211, 574
 increment operator ++ 149, 151
 increment(), Date method 349
 incremental program development 582
 incremental software development 582
 indentation of statements 161
 index variables 173, 411
 index variables, naming of 182
 index_for_day_of_week(), Date method 348
 indexers 357, 378
 indexing 173
 indexing, of strings 201
 IndexOf() method of class Array 453, 455
 IndexOf() string method 207, 217, 320, 371, 470
 IndexOfAny() string method 217
 infinite loops 547, 548
 inheritance 388
 abstract classes and methods 428
 access modifiers 402
 automatic calling of superclass constructor 404
 constructors and inheritance 389, 390
 interfaces inherited (extended) 528
 polymorphic (virtual) methods 418
 sealed classes 438
 subclasses and immediate subclasses 404
 superclasses and immediate superclasses 404
 initialization
 default values 186
 initialization of arrays 185
 initialization of data fields of a class 316

- initialization of multidimensional arrays 189
- initialization of variables 149
- initialized array of strings 227
- initialized arrays of type char 230
- initialize_collection_with_test_data() method 501
- initializers in structs 432
- input parameters 259
- Insert() string method 208, 217
- Insert(), ArrayList method 515, 526
- Insert(), StringBuilder method 224
- InsertRange(), ArrayList method 513, 526
- instance methods 291, 346
- instance methods vs. class methods 202
- instance variables 401
- instances (objects) of classes 291
- int keyword 574
- int type 14, 15, 98
- Int16, Int32, and Int64 types 441
- integer (integral) variables 98, 103
- integer literals 111
- integrated circuits 38
- interface keyword 574
- interfaces 522, 523, 528
- internal keyword 402, 574
- internal statements 146, 151, 257
- international standard ISO 8601 348, 352
- Internet Explorer browser 24
- is keyword (operator) 451, 574
- is_earlier_than(), Date method 353
- is_equal_to(), CollectionItem method 491
- is_equal_to(), Date method 353
- is_last_day_of_month(), Date method 346
- is_later_than(), Date method 353
- is_not_equal_to(), Date method 353
- is_within_dates(), Date method 347
- iterations, see "loops"
- iterators 516

J

- jagged arrays 190, 229
- Jagger, Mick 527
- Java programming language 110, 170, 460
- Join() string method 218, 231
- JPEG, the format of Joint Photographic Experts Group 46
- Julian Calendar 341

K

- Kennedy, John F., and other U.S. presidents 366
- keyboard, reading data from 116
- keywords 106
- keywords (reserved words), summary of 573
- kilobits 37
- kilometers, unit of distance 109

L

- L, suffix for long literals 115

- laptop computers 63
- LastIndexOf() method of class Array 453
- LastIndexOf() string method 209, 218
- LastIndexOfAny() string method 219
- late binding 431
- leading zeroes 123
- leap years 336, 347
- learning, discussion of 3
- least significant bit 36, 554
- least significant byte 102
- least significant digit 30
- left justified printing 123
- left shift operator << 539
- left-side expressions 564
- left-to-right associativity 119
- length of a string 198
- length of an array 177
- Length string property 210, 219, 374
- Length, Array property 177, 374
- less than operator < 131
- less than or equal operator <= 131
- lexical comparison of strings 214
- library of classes 439
- light, speed of 113
- lightyears, unit of distance 113
- Lincoln, Abraham, and other U.S. presidents 365
- Line Feed (LF) character 461
- Linux operating system 4, 461, 546
- literals
 - binary literals do not exist 538
 - character literals 137, 561
 - floating-point literals 115, 561
 - hexadecimal literals 115, 157, 561
 - integer literals 111
 - literal constants of type decimal 115
 - literals of type float 186
 - literals of type long 115, 561
 - string literals 119, 197, 561
 - string literals, verbatim 226
- load_from_file(), Collection method 497
- local variables 273
- locating errors in programs 579
- lock keyword 574
- logical AND operator && 142
- logical errors in programs 580
- logical operators 141, 557
- logical OR operator || 142
- long keyword 575
- long type 103
- long type, literals 115, 561
- loops
 - body of a loop 153
 - do-while loops 158, 567
 - endless loop 148
 - for loops 152, 274, 567
 - foreach loops 170
 - loops that are never entered 148, 580
 - while loops 146, 567
- lowercase letters 22, 43, 540

M

- M, suffix for decimal literals 115
- machine code 9
- machine instructions 57, 269
- Macintosh computers 4, 163
- Madonna 527
- main memory 5, 42, 48, 52
- main storage 5
- Main() method 14, 503
 - operating system calls method Main() 272
 - parameters for method Main() 276
 - placing of the Main() method 293
- mainframe computers 63
- mantissa 108
- Marley, Bob 527
- masks and bit operators 540
- mean value, calculation of 158
- megabits 37
- megabytes 37, 42
- member selection operator, the dot operator . 565
- members of classes
 - (data) fields 290
 - access modifiers 298, 402
 - accessor methods 313
 - constants 364
 - constructors 300
 - indexers 378
 - instance methods 291
 - order of members 316
 - properties 373, 374
- MemberwiseClone() method of class Object 443
- memory
 - allocation of memory 182, 184, 272
 - array of integers in memory 176
 - deallocation of memory 272
 - heap memory 183
 - int variable in memory 102
 - objects in memory 295, 299
 - stack memory 183
 - string in memory 196
- memory addresses, numerical 49
- memory areas in main memory 183
- memory cell 38, 42
- memory locations 49, 50
- memory management 301, 436
- memory management, automatic 325
- menu-based program 502
- meters, unit of distance 113
- methods
 - abstract methods 426
 - accessor methods 313, 337, 345, 359, 373
 - actual parameters 246, 267
 - body of method 257
 - boolean methods 498
 - calling a method 236, 267, 521
 - calling another instance method 346
 - class methods vs. instance methods 202
 - conventions for writing method names 248
 - empty method 389
 - formal parameters 246, 267
 - general structure of C# methods 257
 - getter methods 373
 - input parameters 259
 - instance methods 291
 - method declarators 240, 257
 - methods taking parameters 240
 - methods with return statements 251
 - mutator methods 373
 - output parameters 259
 - outputting data to caller 250
 - overloaded method names 280
 - parameters passed by reference 241
 - parameters passed by value 241
 - polymorphic methods 418
 - public methods 260
 - setter methods 373
 - signature of a method 257
 - static methods 202, 401
 - summary of method structures 568
 - typed methods 251, 256
 - typeless void methods 251, 256
 - virtual methods 418
- Microsoft Corporation 20, 261
- Microsoft Visual Studio .NET 20, 338
- Microsoft Windows 4
- Microsoft Word 4
- miles, unit of distance 109
- Millisecond property of DateTime 533
- minicomputers 63
- Minute property of DateTime 533
- modifier out 250
- modifier ref 251
- modulus operator %, see "remainder operator" 134
- Monroe, Marilyn 206, 527
- Month property of DateTime 533
- months, history of 233
- moon, distance from Earth 115
- Morse codes 516
- most significant bit 544
- most significant digit 30
- mouse, an input device 14, 522
- move() method of class Window 412
- MPEG, Moving Pictures Experts Group 46
- MS-DOS operating system 4, 19
- MS-DOS window 19
- multi-line statements 107
- multidimensional arrays 190, 410
- multidimensional arrays, initialization of 189
- multiplication operator * 111
- multiplicative arithmetic operators 565
- multiply and assign operator *= 565
- multiprint_character() method 244
- multitasking operating systems 546
- mutable strings 222
- mutator methods 373

N

- names, rules for writing a name 107
 - namespace keyword 575
 - namespaces 284, 328
 - global namespace 285
 - naming
 - .cs files 577
 - capitalized names 202
 - constants 506
 - index variables 182
 - interfaces 522
 - method names 248
 - names of methods that are of type bool 346
 - naming of properties 374
 - references to objects 234
 - natural names 106, 107
 - natural naming 578
 - nested program blocks 274
 - .NET Framework 20
 - .NET Framework documentation 22
 - .NET runtime environment 10, 21
 - new keyword, special meaning of 438
 - new operator (keyword) 182, 291, 575
 - newline character `\n` 100, 197, 221, 561
 - non-negative variables 103
 - not equal operator `!=` 131
 - NOT operator `!` 142
 - Now property of `DateTime` 529, 533, 550
 - NULL character `\0` 561
 - null keyword 227, 575
 - null references 227
 - numbering systems 30, 99
 - binary numbers 31
 - binary-to-decimal conversion 34
 - comparison 32
 - decimal-to-binary conversion 35
 - hexadecimal numbers 31, 99
 - hexadecimal-to-binary conversion 36
 - hexadecimal-to-decimal conversion 34
 - octal numbers 31
 - numbers, important in computing 33
 - numbers, rounding of 110
 - `NumberStyles` enum 571
 - numerical memory addresses 49
- O**
- Object class (also known as object) 432, 442, 444
 - object keyword 511, 575
 - object-oriented design
 - data encapsulation 373
 - objects
 - creation of objects 300
 - destroying objects from heap memory 301
 - initialization of objects 300
 - object creations 563
 - object references 291
 - objects of type string 194
 - polymorphic methods 431
 - referencing objects 295, 408, 431
 - vs. object references 234
 - octal numbering system 31
 - odd numbers vs. even numbers 191
 - Olympics, an example class 313
 - Olympics, another version of the class 376
 - `Open()`, method of class `File` 479
 - opening files 459, 464, 480
 - `OpenRead()`, method of class `File` 477
 - operands 115
 - operating system, calling method `Main()` 272
 - operating system, the role of 6
 - operating systems 4, 546
 - operator keyword 575
 - operators
 - addition operator `+` 111, 119
 - address operator `&` 270
 - all used operators summarized 565
 - arithmetic operators 111, 134, 278
 - assignment operator `=` 111, 113
 - associativity of operators 119
 - bit operators 539
 - bitwise AND operator `&` 539
 - bitwise logical operators 557
 - bitwise OR operator `|` 539
 - complement operator `~` 539
 - concatenation operator `+` 119
 - conditional logical operators 557
 - decrement operator `--` 151
 - division operator `/` 111
 - dot operator `.` 116
 - equal operator `==` 131
 - exclusive OR operator `^` 539
 - greater than operator `>` 131
 - greater than or equal operator `>=` 131
 - increment operator `++` 149, 151
 - left shift operator `<<` 539
 - less than operator `<` 131
 - less than or equal operator `<=` 131
 - logical AND operator `&&` 142
 - logical operators 141, 557
 - logical OR operator `||` 142
 - modulus operator `%`, see "remainder operator" 134
 - multiplication operator `*` 111
 - not equal operator `!=` 131
 - NOT operator `!` 142
 - operator `&&` vs. operator `&` 557
 - operator `||` vs. operator `|` 557
 - overloading of operators 358
 - precedence and associativity of operators 128
 - precedence of operators 141, 565
 - relational operators 131
 - remainder operator `%` 134, 278
 - right shift operator `>>` 539
 - subtraction operator `-` 111
 - unary operators 141
 - out keyword 250, 575
 - out parameter modifier 250
 - output parameters 259

output statements 12
 outputting data to caller 250
 overloading
 method overloading vs. polymorphic methods 419
 overloading constructors 306
 overloading method names 280
 overloading of operators 358
 override keyword 418, 575

P

PadLeft() string method 123, 124, 219
 PadRight() string method 123, 124, 219
 palindromes 200
 palmtop computer 63
 paper copies of programs 583
 parameters 240
 actual parameters 246, 267
 formal parameters 246, 267
 input parameters 259
 output parameters 259
 parameter modifier out 250
 parameter modifier ref 251
 parameters for method Main() 276
 passing by reference 241
 passing by value 241
 to instance methods 296
 parameters vs. arguments 246
 params keyword 575
 parentheses, meaning in expressions 111, 121
 Parse() method 571
 Parse() method of DateTime 530
 parsing 441
 PeekChar() method 497
 Person, an example class 298
 Planet, an example class 321
 pointer variables 269
 polymorphic methods 418, 419, 431, 511
 pop(), a method of class Stack 330
 Pope Gregory XIII 341
 precedence of operators 128, 141, 565
 precision, of floating-point variables 105
 prefix 0x in hexadecimal literals 115
 preprocessor directives 558
 President, an example class 362
 PresidentInfoApplication, an example class 364
 presidents of the U.S. 364
 print_all_items(), Collection method 493
 print_array() method 454
 print_array(), overloaded method 282
 print_array_of_numbers() method 263
 print_calculations() method 278
 print_data_of_collection_items() method 500
 print_data_of_next_president() method 369
 print_in_binary_form() method 544
 print_lowercase_letters() method 239
 print_memory(), unsafe method 270
 print_rectangle(), Rectangle method 292
 print_sum() method 242

print_text_in_decorated_box() method 244
 print_uppercase_letters() method 239
 printing fields 123
 printing programs on paper 583
 private keyword 298, 402, 575
 processes 546
 processors 54
 program blocks, nesting 274
 program control 238
 program counter 268
 program descriptions, structure of x
 program development, incremental 582
 program editor 9, 26
 program listings 583
 program not working, what to do 580, 581
 program pointer register 268
 program versions 583
 programmers 9
 programming exercises, list of xix
 programming exercises, practical advice for 27, 577
 programming languages 8
 assembly languages 92
 high-level languages 92
 programming style
 see also "natural naming"
 indentation of statements 161
 order of class members 316
 rules for using braces { } 161
 while loops 577
 programs
 executable programs 8
 list of programs in this book xvi
 making backup copies 583
 printing on paper 583
 source code 9
 source programs 8
 properties of classes 373, 374
 protected keyword 298, 402, 420, 575
 pseudo-code 332
 public keyword 260, 298, 402, 575
 pure abstract classes 528
 pure virtual methods 426
 push(), a method of class Stack 329

Q

quotes, see "double quotes" or "single quotes"

R

RAM, random access memory 5, 48
 Read() method of class Console 163
 Read(), FileStream method 477, 478
 read_array_of_numbers() method 258, 263
 readability of programs 107
 reading data from the keyboard 116
 ReadInt32(), BinaryReader method 490
 ReadLine() method of class Console 116
 ReadLine(), StreamReader method 462, 467

readonly keyword 575
 ReadString(), BinaryReader method 490
 recompiling programs 28
 Rectangle, an example class 292
 rectangular arrays 190
 redefining methods 418
 ref parameter modifier (keyword) 251, 575
 reference types 324
 reference types vs. value types 194, 432, 433, 444
 ReferenceEquals() method 204
 references

- object references 291
- passing parameters by reference 241
- string references 194
- vs. objects 234

 referencing objects 295, 408, 431

- this keyword 356

 referring to array elements 172
 regional settings of computer 531
 registers, in imaginary processor 54
 registers, in typical processor 268
 relational expressions 137
 relational operators 131
 remainder operator % 134, 263, 278
 Remove() string method 209, 219
 remove_one_item(), Collection method 494
 repetitions, see "loops"
 Replace() string method 209, 220, 473
 replace_string_in_file() method 473
 reserved words 106
 reserved words (keywords), summary of 573
 RestrictedAccount, an example class 423
 return keyword 575
 return statements 251, 256
 reuse of methods 257
 Reverse() method of class Array 453
 right justified printing 123
 right shift operator >> 539
 Roman numbers 31
 root directory 5
 rounding of numbers 110
 run(), CollectionMaintainer method 501
 run(), PresidentInfoApplication method 370
 running (executing) programs 4

S

sbyte keyword 575
 SByte type 441
 sbyte type 103
 Schwarzenegger, Arnold 527
 scope of variables 274, 567
 scope, class scope 275
 screen output, directing to file 403
 sealed keyword 438, 575
 search_item_with_name(), Collection method 492
 search_largest_integer() method 252, 253, 255
 search_president_by_name(), PresidentInfoApplication method 367
 search_president_for_given_date() method 368
 search_string_in_file() method 470
 searching for errors in programs 580, 581
 Second property of DateTime 533
 selections, see "if constructs", "switch-case constructs"
 semicolon ; 14, 18
 server computer 63
 set accessor 374
 set, almost a keyword 575
 setter methods 373
 shallow copy of an object 443
 shift operations, shifting bits 542
 short keyword 575
 short type 103
 signature of a method 257
 simulation 78
 single quote character ' 137, 197, 561
 Single type 441
 sizeof keyword 575
 Sleep() method of class Thread 548, 552
 software 4
 software development, incremental 582
 Sort() method of class Array 453, 455
 Sort(), ArrayList method 526
 sort_to_ascending_order() method 264
 sorting algorithms 260
 source code 9
 source programs 8
 source programs, downloading 23
 SpanishCalendar, an example class 400
 speed of light 113
 Split() string method 220, 230
 stack

- stack implemented with software 326
- stack pointer register 267
- the role of stack in method calls 267

 stack memory vs. heap memory 183, 324
 Stack, an example class 328
 stackalloc keyword 576
 standard C# classes 116, 261, 442
 standard interfaces 523
 Start() method of class Tread 549
 StartsWith() string method 220
 statements

- assignment statements 111, 113, 564
- break statements 143
- do-while loops 158, 567
- for loops 152, 567
- if constructs 130, 566
- internal statements 146, 151, 257
- method calls 238
- output statements 12
- return statements 251, 256
- switch-case constructs 143, 566
- the role of semicolon ; 98
- using statements 285
- while loops 146, 567

 static keyword 401, 576
 static methods 202, 401
 status variables (state variables) 506

- store_text_lines_to_file() method 472
 - store_to_file(), Collection method 496
 - store_to_file(), CollectionItem method 491
 - StreamReader class 466
 - ReadLine() method 462, 467
 - StreamWriter class
 - WriteLine() method 463, 469
 - string arrays 230
 - string class documentation 214
 - string constants, see "string literals"
 - string keyword 194, 576
 - string literals 119, 197, 561
 - string literals, verbatim 226
 - String means the same as string 202
 - string methods 202, 214
 - Compare() method 206, 207, 214
 - CompareTo() method 215
 - Concat() method 215
 - Copy() method 205, 215
 - CopyTo() method 215
 - EndsWith() method 215
 - Equals() method 204, 216
 - Format() method 216
 - GetEnumerator() method 216
 - GetHashCode() method 216
 - IndexOf() method 207, 217
 - IndexOfAny() method 217
 - Insert() method 208, 217
 - Join() method 218, 231
 - LastIndexOf() method 209, 218
 - LastIndexOfAny() method 219
 - Length property 219
 - PadLeft() method 124, 219
 - PadRight() method 124, 219
 - Remove() method 209, 219
 - Replace() method 209, 220, 473
 - Split() method 220, 230
 - StartsWith() method 220
 - Substring() method 207, 210, 220
 - ToCharArray() method 220
 - ToLower() method 212, 221
 - ToString() method 124, 221
 - ToUpper() method 221
 - Trim() method 213, 221
 - TrimEnd() method 221
 - TrimStart() method 221
 - string objects 116
 - concatenating string objects 208
 - constructors of class string 210
 - creating string objects 210
 - equality of string objects 475
 - finding substrings in string objects 217
 - taking substrings from string objects 220
 - StringBuilder class 222
 - Append() method 225
 - Insert() method 224
 - strings
 - arrays of strings 227
 - dynamic (mutable) strings 222
 - empty string 198, 475
 - equality of string objects 204
 - immutability of strings 198
 - length of a string 198, 210
 - searching for substrings inside strings 207
 - string literals, verbatim 226
 - strong typing 265
 - struct keyword 576
 - structs 432, 433
 - subclasses 404
 - subroutines 236
 - subscripting, see "indexing"
 - Substring() string method 207, 210, 220
 - substrings in string objects 217
 - subtract and assign operator -= 565
 - subtraction operator - 111
 - suffix F identifies float literals 115
 - suffix L identifies long literals 115
 - suffix M identifies decimal literals 115
 - Sun, radius of 506
 - superclass 388, 400
 - supercomputers 63
 - superstitious friends, how to help them 336
 - switch keyword 576
 - switch-case constructs 143, 566
 - symbols, see also "names" 106
 - syntax of a programming language 12
 - System namespace 440
 - System.Int32 and other standard structs 440
 - System.IO namespace 570
 - systems 9
- ## T
- tab, see "tabulator character"
 - table of contents xii
 - tabulator character \t 197, 221, 561
 - tabulator character, avoiding 110
 - Task Manager in Windows 582
 - text balloons x
 - text files 460
 - text files vs. binary files 477
 - TextWindow, an example class 414
 - this keyword 356, 357, 378, 576
 - this_is_a_leap_year(), Date method 347
 - Thread standard class 546
 - threads 546
 - ThreadStart standard delegate type 546, 547
 - throw keyword 446, 576
 - throwing exceptions 446
 - Ticks property of DateTime 533, 550
 - TIFF, Tagged Image File Format 46
 - tilde sign ~ 305
 - time measurement 430
 - time printing formats 427
 - TimeOfDay property of DateTime 533
 - Titanic, sinking of 395
 - to_line_of_text(), CollectionItem method 491
 - ToByte() method of class Convert 118

ToChar() method of class Convert 118
 ToCharArray() string method 220
 Today property of DateTime 533
 ToDouble() method of class Convert 118
 ToInt16() method of class Convert 118
 ToInt32() method of class Convert 116
 ToInt64() of class Convert 118
 ToLongDateString(), DateTime method 534
 ToLongTimeString(), DateTime method 534
 ToLower() string method 212, 221
 ToShortDateString(), DateTime method 534
 ToShortTimeString(), DateTime method 534
 ToSingle() method of class Convert 118
 ToString() method 123, 354
 ToString() method of class Object 443, 511
 ToString() string method 124, 221
 ToString(), DateTime method 534
 ToUpper() string method 221
 traditional programs vs. C# programs 10
 transfer_money_to(), BankAccount method 303
 transistors 38
 translate(), a polymorphic method 520
 TrilingualTranslation, an example class 519
 Trim() string method 213, 221
 TrimEnd() string method 221
 TrimStart() string method 221
 true keyword 168, 576
 truth values 130, 168
 try keyword 165, 576
 try-catch constructs 165, 167, 446
 try-catch-finally constructs 450, 465
 Turing machine 63
 Turing, Alan 201, 298
 .txt, name extension for text files 460
 typed methods 251, 256
 typeless void methods 251, 256
 typeof keyword 576
 types

- explicit type conversions 155, 158, 265
- reference types vs. value types 194
- value types vs. reference types 324

 typing with 10 fingers vii

U

uint type (keyword) 103, 576
 UInt16, UInt32, and UInt64 types 441
 ulong type (keyword) 103, 576
 UML, Unified Modeling Language 359

- describing inheritance between classes 393
- examples of class diagrams 393, 405, 409, 419
- has-a relationship between classes 361

 Unabbreviator, an example class 383
 unary operators 141
 unboxing vs. boxing 444, 445
 unchecked keyword 576
 underscore character _ 106
 unhandled exceptions 118
 Unicode character coding 44, 45, 103

Unicode Transformation Format 464
 Universal Time 535
 UNIX operating system 4, 461, 546
 unsafe keyword 270, 576
 unsigned variables 103
 uppercase letters 22, 43, 540
 user_confirms(), CollectionMaintainer method 498
 ushort type (keyword) 103, 576
 using keyword 576
 using statements 285, 440
 UtcNow property of DateTime 533
 UTF-8 464

V

value types 324
 value types vs. reference types 194, 432, 433, 444
 value, almost a keyword 375, 576
 variables

- bool type 103
- byte type 103
- char type 103
- classwide variables 273
- decimal type 110
- double type 108
- float type 108
- floating-point variables 108
- initialization of variables 149
- instance variables vs. class variables 401
- int type 98
- local variables 273
- long type 103
- non-negative variables 103
- parameter variables 243
- sbyte type 103
- short type 103
- table of all types 105, 441
- uint type 103
- ulong type 103
- ushort type 103
- variable declarations 98, 562

 verbatim string literals 226
 versions of programs 583
 virtual keyword 576
 virtual methods 418, 431, 511, 518

- calling base class version of a method 423

 virtual methods vs. method overloading 419
 visibility modifiers 402
 visibility of class members 298
 Visual Studio .NET 20, 338
 void keyword 251, 576
 volatile keyword 576
 vs. means "versus" or "against"

W

warnings given by compiler 579
 was_president_on(), President method 363
 Washington, George, and other U.S. presidents 364

- weak typing 265
- week numbers 352
- while keyword 576
- while loops 146, 567
 - programming style 577
- whitespace characters 221
- whole numbers (integers) 14
- Window, an example class 410
- Windows operating system 4
- Windows XP operating system 546
- windows, character-based 408
- Windows/MS-DOS operating system 461
- withdraw_money(), BankAccount method 303
- workstation 63
- World Calendar 341
- Write(), BinaryWriter method 484
- Write(), Console method 101, 123
- Write(), FileStream method 479
- WriteLine(), Console method 462
- WriteLine(), StreamWriter method 463, 469
- writing about objects and their references 234

Y

- yards, unit of distance 113
- Year property of DateTime 533
- year, definition of 336

Z

- .zip files, unzipping (extracting files) 23
- Zuse, Konrad 298

These are sample pages from Kari Laitinen's book
"A Natural Introduction to Computer Programming with C#".
For more information, please visit
<http://www.naturalprogramming.com/csbook.html>